

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
Baker Rd	SR-5	CR-723	750	5,134	0.09	0.51	230	C	2.2%
Berry Ave	Golden Bear Wy	CR-714	750	3,496	0.09	0.50	157	C	0.9%
Berry Ave	CR-714	Sunset Tr	750	1,917	0.09	0.53	91	C	1.0%
Britt Rd	Pine Lake Dr	SR-5	750	4,538	0.08	0.58	208	C	0.5%
Citrus Blvd.	CR-714 (Martin Hwy)	Port St. Lucie Blvd.	1200	5,145	0.12	0.81	479	C	6.3%
Commerce Ave	Salerno Rd	Monroe St	750	6,810	0.10	0.60	413	D	2.5%
Commerce Ave	Monroe St	Indian St	750	6,726	0.11	0.60	432	D	1.2%
Country Club Dr	Palm Beach County	Island Way	750	2,978	0.08	0.53	120	C	4.2%
Country Club Dr	Island Way	Little Club Dr	750	3,665	0.08	0.59	164	C	4.4%
County Line Rd	Little Club Dr	SR-5	750	2,517	0.08	0.53	105	C	0.5%
Cove Rd	SR-76	Willoughby Blvd	880	13,912	0.10	0.51	681	C	3.3%
Cove Rd	Willoughby Blvd	SR-5	880	14,894	0.09	0.54	732	C	2.1%
Cove Rd	SR-5	CR-A1A	750	12,683	0.08	0.52	547	D	4.2%
Cove Rd	CR-A1A	End	675	5,547	0.09	0.57	285	C	0.5%
CR-609 (Allapattah Rd)	SR-710	CR-714	740	1,793	0.09	0.53	85	A/B	5.3%
CR-609 (Allapattah Rd)	CR-714	St Lucie County	740	1,812	0.09	0.65	106	A/B	6.0%
CR-707 (Beach Rd)	Palm Beach County	CR-708	675	1,928	0.09	0.63	111	C	5.3%
CR-707 (Dixie Hwy)	CR-723/CR-707	CR-707 (Indian River Dr)	750	5,401	0.09	0.51	237	C	0.5%
CR-707 (Indian River Dr)	CR-707 (Dixie Hwy)	CR-707A (Jensen Beach Blvd.)	675	10,488	0.10	0.54	578	D	2.2%
CR-707 (Indian River Dr)	CR-707A	SR-732	675	5,683	0.08	0.53	241	C	0.5%
CR-707 (Indian River Dr)	SR-732	St. Lucie County	675	6,216	0.09	0.61	334	C	3.1%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
CR-707A (Jensen Beach Blvd)	CR-723	Skyline Dr	1630	21,842	0.09	0.50	950	D	0.5%
CR-707A (Jensen Beach Blvd)	Skyline Dr	Pineapple Way	1630	18,090	0.08	0.54	772	D	0.5%
CR-707A (Jensen Beach Blvd)	Pineapple Wy	CR-707	675	9,516	0.08	0.56	421	D	0.5%
CR-708 (Bridge Rd)	SR-76	CR-711	740	921	0.11	0.62	61	A/B	8.0%
CR-708 (Bridge Rd)	CR-711	I-95	740	3,577	0.10	0.58	216	A/B	8.0%
CR-708 (Bridge Rd)	I-95	Powerline Ave	1200	8,886	0.10	0.53	485	C	7.8%
CR-708 (Bridge Rd)	Powerline Ave	SR-5	880	10,228	0.10	0.50	522	C	6.5%
CR-708 (Bridge Rd)	SR-5	CR-A1A	675	9,524	0.12	0.57	630	D	1.2%
CR-708 (Bridge Rd)	CR-A1A	Gomez Ave	675	7,851	0.10	0.57	430	D	0.5%
CR-708 (Bridge Rd)	Gomez Ave	CR-707	750	4,346	0.11	0.56	268	C	0.5%
CR-711 (Pratt Whitney Rd)	Palm Beach County	CR-708	740	3,409	0.13	0.74	333	C	6.9%
CR-711 (Pratt Whitney Rd)	CR-708	South Fork High School	800	4,396	0.12	0.51	260	C	5.4%
CR-711 (Pratt Whitney Rd)	South Fork High School	SR-76	800	5,629	0.12	0.76	505	C	3.0%
CR-713 (High Meadow Ave)	I-95	CR-714	1190	13,242	0.11	0.70	1,010	D	1.2%
CR-713 (High Meadow Ave)	CR-714	SR-714	880	11,799	0.09	0.51	530	C	2.7%
CR-713 (High Meadow Ave)	SR-714	Murphy Rd	1190	12,699	0.10	0.68	820	C	2.3%
CR-714 (Martin Hwy)	SR-710	Fox Brown Rd	740	3,170	0.08	0.53	131	A/B	5.0%
CR-714 (Martin Hwy)	Fox Brown Rd	CR-609	740	3,410	0.08	0.55	146	A/B	4.2%
CR-714 (Martin Hwy)	CR-609	I-95	740	5,314	0.08	0.56	241	C	5.6%
CR-714 (Martin Hwy)	Florida's Turnpike	CR-713	2000	20,989	0.11	0.60	1,373	C	8.0%
CR-714 (Martin Hwy)	CR-713	Mapp Rd	2000	22,352	0.11	0.56	1,352	C	5.3%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
CR-714 (Veteran's Memorial Bridge)	Mapp Rd	SR-76	2000	23,323	0.11	0.59	1,500	C	8.0%
CR-723 (Savanna Rd)	CR-707	NE 24th St	880	9,023	0.09	0.50	393	C	2.4%
CR-723 (Savanna Rd)	NE 24th St	CR-707A (Jensen Beach Blvd.)	880	10,500	0.09	0.53	473	C	1.6%
CR-726 (Citrus Blvd)	SR-710	Greenridge Ln	740	2,779	0.08	0.58	132	A/B	4.7%
CR-726 (Citrus Blvd)	Greenridge Ln	CR-76A	740	2,553	0.09	0.57	131	A/B	5.3%
CR-76A (Citrus Blvd.)	CR-726	SR-714	1200	4,204	0.09	0.55	215	A/B	5.6%
CR-76A (SW 96th St)	CR-726	Pennsylvania Ave	1200	3,768	0.09	0.56	190	A/B	4.7%
CR-76A (SW 96th St)	Pennsylvania Ave	SR-76	800	8,115	0.09	0.63	435	C	4.5%
CR-A1A (Dixie Hwy)	SR-5	CR-708	750	3,233	0.09	0.50	147	C	4.6%
CR-A1A (Dixie Hwy)	CR-708	Osprey St	880	7,508	0.11	0.53	454	C	3.6%
CR-A1A (Dixie Hwy)	Osprey St	Heritage Blvd	1190	6,641	0.08	0.55	292	A/B	4.1%
CR-A1A (Dixie Hwy)	Heritage Blvd	Cove Rd	1190	7,348	0.09	0.54	341	A/B	4.7%
CR-A1A (Dixie Hwy)	Cove Rd	Salerno Rd	790	12,223	0.09	0.53	602	D	3.6%
CR-A1A (Dixie Hwy)	Salerno Rd	St. Lucie Blvd	750	16,587	0.09	0.51	753	E	3.1%
CR-A1A (Dixie Hwy)	St Lucie Blvd	Jefferson St	750	13,991	0.10	0.50	700	D	2.5%
CR-A1A (Dixie Hwy)	Jefferson St	Indian St	1630	18,643	0.08	0.52	756	D	4.0%
CR-A1A (Dixie Hwy)	Indian St	SR-714	2000	16,285	0.10	0.50	790	C	0.9%
CR-A1A (Dixie Hwy)	SR-714	SE Fifth St	675	6,585	0.09	0.55	340	D	2.0%
Dr Martin Luther King Jr Blvd	Farm Rd	SR-710	675	2,169	0.07	0.53	83	C	4.0%
Farm Rd	Dr Martin Luther King Jr Dr	Palm Wy	750	2,588	0.06	0.59	93	C	2.0%
Fox Brown Rd	SR-710	CR-714	740	333	0.08	0.60	16	A/B	0.0%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
Goldenrod Rd	Britt Rd	SR-732	1630	4,838	0.08	0.61	242	C	0.5%
Goldenrod Rd	SR-732	SR-5	750	6,933	0.09	0.56	357	C	2.1%
Goldenrod Rd	SR-5	Westmoreland Blvd	750	4,350	0.09	0.73	273	C	4.6%
Gomez Ave	CR-708	Crossrip St	750	3,616	0.09	0.64	199	C	0.5%
Gomez Ave	Crossrip St	Osprey St	750	1,079	0.08	0.58	49	C	0.5%
Green River Parkway	Dixie Hwy	Baker Rd	750	6,728	0.10	0.64	444	D	5.2%
Green River Parkway	Baker Rd	SR-732	880	8,203	0.12	0.65	635	C	6.1%
Green River Parkway	SR-732	St. Lucie County	1190	8,395	0.10	0.63	513	C	4.2%
Horseshoe Point Rd	CR-A1A	Kubin Ave	675	5,725	0.08	0.53	252	C	0.5%
Indian St	SR-76	Willoughby Blvd	2000	28,668	0.10	0.58	1,679	C	7.0%
Indian St	Willoughby Blvd	SR-5	2000	28,304	0.08	0.50	1,189	C	3.9%
Indian St	SR-5	Commerce Ave	2000	22,456	0.09	0.54	1,031	C	0.5%
Indian St	Commerce Ave	CR-A1A	2000	24,848	0.09	0.50	1,068	C	1.0%
Indian St	CR-A1A	St Lucie Blvd	675	7,214	0.09	0.53	359	D	0.5%
Indian River Dr	Palmer St	CR-707	750	7,243	0.09	0.57	363	C	0.5%
Island Way	Palm Beach County	Jupiter Road	1200	4,326	0.10	0.58	261	A/B	2.6%
Island Way	Jupiter Road	Country Club Dr	750	5,230	0.08	0.52	204	C	3.1%
Jack James Rd	SR-76	Blue Water Wy	750	2,999	0.13	0.66	255	C	4.2%
Lares St	CR-708	CR-A1A	675	3,430	0.09	0.69	206	C	2.8%
Little Club Wy	Country Club Dr	Wooden Bridge Wy	675	2,382	0.08	0.55	103	C	1.2%
Locks Rd	Canal St	SR-76	675	3,722	0.08	0.53	154	C	1.1%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
MacArthur Blvd	Sailfish Point	SR-A1A	675	5,386	0.10	0.58	306	C	0.5%
Mapp Rd	South End	CR-714	750	5,277	0.08	0.67	297	C	0.5%
Mapp Rd	CR-714	SR-714	750	11,742	0.09	0.53	529	D	0.5%
Mapp Rd	SR-714	Matheson Ave	750	5,650	0.09	0.53	275	C	1.9%
Mapp Rd	Matheson Ave	North End	750	7,637	0.08	0.54	322	C	0.5%
Market Pl	SR-5	Commerce Ave	790	4,431	0.08	0.54	187	C	1.9%
Matheson Ave	SR-714	Mapp Rd	750	5,077	0.09	0.61	279	C	0.5%
Monroe St	SR-5	Commerce Ave	750	1,775	0.11	0.64	130	C	1.7%
Murphy Rd	Mapp Rd	High Meadow Ave	750	5,986	0.10	0.51	302	C	0.5%
Murphy Rd	High Meadow Ave	St Lucie County	750	9,699	0.13	0.72	887	F	4.5%
Ocean Blvd	Flagler Ave	Palm Beach Rd	790	9,760	0.10	0.60	556	D	1.7%
Ocean Blvd	Palm Beach Rd	SR-714	1465	12,209	0.10	0.52	635	C	0.5%
Osprey St	SR-5	CR-A1A	750	5,057	0.07	0.54	197	C	1.0%
Osprey St	CR-A1A	Gomez Ave	750	1,864	0.09	0.61	100	C	0.5%
Palm Beach Rd	SR-714	Ocean Blvd	710	8,272	0.09	0.55	428	D	0.5%
Palm City Rd	SR-714	SR-5	750	7,323	0.08	0.59	363	C	1.1%
Palmer St	CR-707	Indian River Dr	750	3,007	0.11	0.61	205	C	1.8%
Pineapple Wy	CR-707A(Jensen Beach Blvd.)	SR-732	750	11,663	0.10	0.53	593	D	2.5%
Pomeroy St	SR-76	Willoughby Blvd	790	8,804	0.08	0.62	442	D	2.4%
Pomeroy St	Willoughby Blvd	SR-5	790	8,898	0.08	0.57	380	C	3.9%
Salerno Rd	SR-76	Willoughby Blvd	880	7,950	0.09	0.52	389	C	3.5%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
Salerno Rd	Willoughby Blvd	SR-5	790	9,765	0.12	0.62	727	D	1.8%
Salerno Rd	SR-5	Commerce Ave	750	9,439	0.08	0.55	431	D	0.5%
Salerno Rd	Commerce Ave	CR-A1A	750	7,502	0.09	0.51	337	C	0.5%
Seabbranch Blvd	Doubletree Dr	SR-5	2000	6,403	0.09	0.55	310	C	0.5%
Sewalls Pt Rd	SR-A1A	Palmer St	675	9,542	0.09	0.52	461	D	1.0%
Skyline Dr	CR-707A	CR-707	675	2,064	0.08	0.55	87	C	3.0%
SR-5 (US-1)	Palm Beach County	CR-A1A	3110	21,690	0.09	0.56	1,032	A/B	3.8%
SR-5 (US-1)	CR-A1A	CR-708	2000	17,113	0.09	0.68	1,094	C	3.1%
SR-5 (US-1)	CR-708	Osprey St	2000	24,451	0.10	0.65	1,589	C	2.0%
SR-5 (US-1)	Osprey St	Seabbranch Blvd	2000	24,010	0.08	0.61	1,128	C	1.2%
SR-5 (US-1)	Seabbranch Blvd	Cove Rd	3020	30,639	0.08	0.51	1,313	C	0.5%
SR-5 (US-1)	Cove Rd	Salerno Rd	3020	34,682	0.08	0.54	1,461	C	0.5%
SR-5 (US-1)	Salerno Rd	Monroe St	3020	42,146	0.08	0.52	1,775	C	0.9%
SR-5 (US-1)	Monroe St	Indian St	3020	45,627	0.08	0.52	1,922	C	1.3%
SR-5 (US-1)	Indian St	SR-714	3020	45,758	0.09	0.51	2,194	C	0.9%
SR-5 (US-1)	SR-714	SR-5A	3020	38,109	0.09	0.54	1,934	C	0.7%
SR-5 (US-1)	SR-5A(Cut-off Rd)	SR-76	3020	36,130	0.09	0.51	1,640	C	0.5%
SR-5 (US-1)	SR-76	Palm City Rd	2520	49,890	0.08	0.57	2,247	D	1.4%
SR-5 (US-1)	Palm City Rd	Joan Jefferson Wy	2520	55,868	0.08	0.64	2,860	F	0.8%
SR-5 (US-1)	Joan Jefferson Wy	Wright Blvd	3020	59,857	0.08	0.60	2,892	C	1.4%
SR-5 (US-1)	Wright Blvd	Baker Rd	3020	54,975	0.08	0.50	2,172	C	1.1%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
SR-5 (US-1)	Baker Rd	Britt Rd	3020	53,335	0.08	0.51	2,203	C	0.5%
SR-5 (US-1)	Britt Rd	SR-732	3020	55,454	0.09	0.53	2,616	C	0.9%
SR-5 (US-1)	SR-732	Westmoreland Blvd	4040	64,326	0.09	0.61	3,414	C	0.6%
SR-5 (US-1)	Westmoreland Blvd	St Lucie County	4040	62,920	0.08	0.52	2,519	C	1.1%
SR-710 (Warfield Blvd)	Okeechobee County	Fox Brown Rd	670	6,227	0.06	0.59	231	A/B	4.4%
SR-710 (Warfield Blvd)	Fox Brown Rd	CR-609 (Allapattah)	670	7,587	0.07	0.51	279	C	4.7%
SR-710 (Warfield Blvd)	CR-609 (Allapattah)	Van Buren	870	11,942	0.10	0.60	709	C	8.0%
SR-710 (Warfield Blvd)	Van Buren	CR-726 (Citrus)	765	11,942	0.10	0.60	709	C	8.0%
SR-710 (Warfield Blvd)	CR-726	SR-76 (Kanner)	2450	10,528	0.06	0.53	329	A/B	5.7%
SR-710 (Warfield Blvd)	SR-76	Palm Beach County	2450	6,863	0.07	0.53	251	A/B	1.4%
SR-714 (Martin Hwy)	I-95	CR-76A (Citrus)	1200	12,902	0.10	0.53	684	C	4.7%
SR-714 (Martin Hwy)	CR-76A (Citrus)	Florida's Turnpike	2000	20,756	0.10	0.58	1,180	C	4.8%
SR-714 (Martin Downs Blvd)	Florida's Turnpike	CR-713	2000	20,107	0.09	0.53	948	C	1.8%
SR-714 (Martin Downs Blvd)	CR-713	Matheson Ave	2000	28,929	0.09	0.61	1,588	C	1.2%
SR-714 (Martin Downs Blvd)	Matheson Ave	Mapp Rd	2000	32,616	0.10	0.53	1,718	C	2.7%
SR-714 (Palm City Bridge)	Mapp Rd	SR-76	2000	34,965	0.10	0.59	2,022	F	0.9%
SR-714 (Monterey Rd)	SR-76	Willoughby Blvd	2000	28,608	0.10	0.52	1,488	C	5.2%
SR-714 (Monterey Rd)	Willoughby Blvd	Monterey Extension	2000	25,028	0.10	0.54	1,284	C	1.7%
SR-714 (Monterey Rd)	Monterey Extension	SR-5	2000	15,598	0.09	0.62	899	C	0.5%
SR-714 (Monterey Rd)	SR-5	CR-A1A	1630	20,190	0.09	0.52	966	D	0.5%
SR-714 (Monterey Rd)	CR-A1A	SR-A1A	1910	18,242	0.10	0.61	1,068	C	2.4%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
SR-732 (Causeway Blvd)	CR-707	SR-A1A	1190	13,403	0.10	0.51	684	C	0.8%
SR-732 (Jensen Beach Blvd)	SR-5	Green River Pkwy	2000	25,891	0.10	0.52	1,319	C	0.5%
SR-732 (Jensen Beach Blvd)	Green River Pkwy	CR-723	2000	24,869	0.09	0.56	1,253	C	0.5%
SR-76 (Kanner Hwy)	SR-15	SR-710	740	2,117	0.09	0.57	105	A/B	8.0%
SR-76 (Kanner Hwy)	SR-710	CR-708	740	3,488	0.08	0.59	171	A/B	8.0%
SR-76 (Kanner Hwy)	CR-708	CR-711/CR-76A	1200	3,027	0.11	0.54	180	A/B	1.9%
SR-76 (Kanner Hwy)	CR-711/CR76A	Locks Rd	2000	12,928	0.12	0.52	813	C	1.2%
SR-76 (Kanner Hwy)	Locks Rd	Jack James	2000	20,494	0.09	0.60	1,082	C	2.0%
SR-76 (Kanner Hwy)	Jack James	Cove Rd	3020	45,918	0.10	0.52	2,409	C	2.4%
SR-76 (Kanner Hwy)	Cove Rd	Salerno Rd	3020	31,734	0.09	0.52	1,436	C	0.9%
SR-76 (Kanner Hwy)	Salerno Rd	Indian St	3020	29,492	0.10	0.52	1,468	C	2.6%
SR-76 (Kanner Hwy)	Indian St	SR-714	3020	21,161	0.07	0.52	759	C	0.5%
SR-76 (Kanner Hwy)	SR-714	SR-5	3020	25,033	0.08	0.50	1,001	C	0.5%
SR-A1A (Ocean Blvd)	SR-714	St Lucie Blvd	1630	19,372	0.11	0.57	1,193	D	1.4%
SR-A1A (Ocean Blvd)	St Lucie Blvd	Sewalls Point Rd	2000	21,532	0.09	0.51	1,010	C	0.5%
SR-A1A (Ocean Blvd)	Sewalls Point Rd	Macarthur Blvd	925	12,803	0.09	0.54	650	C	0.5%
SR-A1A (Ocean Blvd)	MacArthur Blvd	SR-732	1190	8,278	0.09	0.53	395	A/B	2.5%
SR-A1A (Ocean Blvd)	SR-732	St Lucie County	1190	14,957	0.12	0.54	953	D	3.6%
St Lucie Blvd	CR-A1A	Indian St	675	3,083	0.10	0.55	163	C	0.5%
St Lucie Blvd	Indian St	SR-A1A	675	7,420	0.11	0.54	421	D	0.8%
Westmoreland Blvd	St Lucie County	SR-5	790	12,542	0.08	0.60	632	D	2.6%

Segments with shaded LOS require additional analysis.

The peaks are: CR-A1A (PM/SB); CR-713 (PM/NB); Murphy Rd (PM/NB); SR-5 (AM/SB); SR-714 [Palm City Bridge] (PM/WB) and SR-714 (PM/WB).

Martin County 2018 Roadway Level of Service Inventory Report

Road Name	From	To	Generalized Service Capacity	2018 Average Annual Daily Traffic	Peak Hour Factor K ₃₀	Directional Distribution D ₁₀₀	2018 Peak Hour Directional Volume	2018 Generalized LOS	Avg. Annual Growth Rate
Willoughby Blvd	Cove Rd	Salerno Rd	880	3,938	0.10	0.56	216	C	4.6%
Willoughby Blvd	Salerno Rd	Pomeroy St	880	9,827	0.09	0.51	461	C	6.6%
Willoughby Blvd	Pomeroy St	Indian St	2000	11,500	0.10	0.60	662	C	7.9%
Willoughby Blvd	Indian St	SR-714	2000	11,284	0.10	0.53	610	C	4.2%
Wright Blvd	SR-5	Dixie Highway	750	9,689	0.09	0.59	503	D	2.4%

This document may be reproduced upon request in an alternative format by contacting the County ADA Coordinator (772) 320-3131, the County Administration Office (772) 288-5400, Florida Relay 711, or by completing our accessibility feedback form at www.martin.fl.us/accessibility-feedback